1 of 9 © Fujitsu 2022

Datasheet Fujitsu Desktop ESPRIMO G9012

Fujitsu recommends Windows 11 Pro

A smart and ultra-compact Mini PC for advanced office needs

The Fujitsu ESPRIMO G9012 is a smart Mini PC which offers advanced Desktop PC functionality in an ultracompact, space-saving design. Making it a perfect device for working from home or in flexible workplaces with its single cable USB Type-C[™] connection. Provided with the latest 12th Gen Intel® Core[™] processors and Intel vPro® technology, the devices empower impressive performance/volume ratio.

A smart Mini PC with ultra-compact design

Eye-catching exclusive modern design

- Low noise Mini PC thus providing ergonomic, clean, and clutter-free working environment
- Offers advanced desktop PC functionality with a volume of only 0.87 liters
- Impressive performance/volume ratio and is easy to set up in minutes

Small in size but grand in performance

High performance in a small Mini PC design

- Latest Intel chipset technology and 12th Generation Intel® Core™ processor family
- With Intel vPro® version for latest out-of-band management features
- Next generation Intel integrated graphics

Flexibility without limits

Pleasant working environment due to quiet system

- Concept with different heights allows ODD and upgrade options like power supply and PCIe slot
- Flexibility for later device upgrades
- Various mounting options

Ultimate usability - Perfect fit for modern offices and workplaces

- Integrated into Fujitsu AIO Display P2410 enables a space saving all-in-one system
- Can be used for horizontal or vertical operations and easy upgrade of major components
- VESA mount for attaching the PC to displays, stands or walls
- Ideal device to use for home office scenarios due to its mobility and one cable solution

Low power consumption and environmental impact

Reduced environmental impact and reduced energy bills

• Highly efficient AC adapter 80Plus PLATINUM or internal power supply as option







Fujitsu recommends Windows 11 Pro

Components

	ESPRIMO G9012	ESPRIMO G9012 ESTARx	
Processor	Intel® Core™ i7-12700 processor (12 Cores(8+4)/20 Threads, 2.1 GHz, 25 MB, Intel® UHD Graphics 770) ** Intel® Core™ i5-12500 processor (6 Cores/12 Threads, 3.0 GHz, 18 MB, Intel® UHD Graphics 770) * Intel® Core™ i5-12400 processor (6 Cores/12 Threads, 2.5 GHz, 18 MB, Intel® UHD Graphics 730) * Intel® Core™ i3-12100 processor (4 Cores/8 Threads, 3.3 GHz, 12 MB, Intel® UHD Graphics 730) *		
	Intel vPro® Platform Logo (optional) with Intel® Core™ i5-12500 and Intel® Core™ i7 processors *With Intel® Turbo Boost Technology 2.0 (clock speed and performance will vary depending on workload and other variables) **With Intel® Turbo Boost Max Technology 3.0 (clock speed and performance will vary depending on workload and other variables)		
Operating systems			
Operating system pre-installed	Windows 11 Pro. Windows 11 Home. Windows 10 Pro (Via Windows 11 Pro Downgrade Option) Fujitsu recommends Windows 11 Pro for business.		
Memory modules	16 GB (1 module(s) 16 GB) DDR4, unbuffered, non-ECC, 3,200 MT/s, SO DIMM. 8 GB (1 module(s) 8 GB) DDR4, unbuffered, non-ECC, 3,200 MT/s, SO DIMM 4 GB (1 module(s) 4 GB) DDR4, unbuffered, non-ECC, 3,200 MT/s, SO DIMM		
Graphics	Entry 3D: NVIDIA® T600, 4 GB, PCIe x16, 4 x miniDP Entry 3D: NVIDIA® T400, 4 GB, PCIe x16, 3 x miniDP Others: MiniDP to DP Adapter Cable *Optional in Int. PSU version		
HDD 2.5 inch size	HDD SATA III, 5,400 rpm, 1000 GB, 2.5-inch HDD SATA III, 5,400 rpm, 2000 GB, 2.5-inch		
M.2 SSD	SSD PCIe, 2048 GB M.2 NVMe (Gen4), SED SSD PCIe, 1024 GB M.2 NVMe (Gen4), SED SSD PCIe, 512 GB M.2 NVMe (Gen4), SED SSD PCIe, 256 GB M.2 NVMe (Gen4), Value, SED		
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. SSD (Solid State Disk) SED (Self-Encrypting Drive) 2.5-inch bay for devices with 7mm height Durability in accordance with the manufacturer's indications on read and write cycles.		
Optical drive	DVD Super Multi ultra slim (tray), SATA (optional)		
Wireless LAN	Intel® Wi-Fi 6E AX211 (2x2/160) Gig+ and Bluetooth 5.2 vPro (depends on OS support); SRD cat.1 (6E frequency only in dedicated regions)		
Wireless LAN Notes	WI-FI 6E: The device does not operate in 6GHz band in all countries, depending on individual local regulations		
Expansion notes	The listed product components and optional functions are not available in all region/countries; System is available in 3 different housing versions: Small version (0.87 Liter) ODD bay version (1.23 Liter) Internal Power supply/ PCIe Slot version (1.85 Liter)	The listed product components and optional functions are not available in all region/countries; Energy Star certification only with Windows operating system; Base unit for TCO Certified generation 9; System is available in 3 different housing versions: Small version (0.87 Liter)	

Fujitsu recommends Windows 11 Pro

ESPRIMO G9012

ESPRIMO G9012 ESTARx

ODD bay version (1.23 Liter) Internal Power supply/ PCIe Slot version (1.85 Liter) Fujitsu recommends Windows 11 Pro

Base unit

	ESPRIMO G9012 ESPRIMO G9012 ESTARx		
Mainboard			
Mainboard type	D4014-A (base system)		
Formfactor	Proprietary		
Chipset	Intel® Q670		
Processor socket	LGA1700		
Processor Qty (max.)	1		
Supported RAM (max.)	64 GB		
Memory slots	2 DIMM (DDR4)		
Memory frequency	3,200 MT/s		
Memory notes	Dual channel support For dual channel performance, 2 memory modules have to be ordered. Capacity per channel has to be the same. 3200 MHz may be clocked down to 2933/2400MHz depending on processor and memory configuration		
LAN	10/100/1,000 MBit/s Intel® I219LM		
Integrated WLAN	Optional; The device does not operate in 6GHz band in all countries, due to national regulations."		
BIOS version	AMI Aptio V UEFI Specification 2.6		
BIOS features	BIOS Flash EPROM update by software Recovery BIOS Unified Extensible Firmware Interface (UEFI)		
Audio type	On board		
Audio codec	Realtek ALC257N		
Audio features	Internal speaker supports audio playback, High Definition audio		
I/O controller on board			
Serial ATA total	2		
Controller functions	Serial ATA III (6 Gbit) NCQ AHCI RAID 1/0		
Interfaces			
Front audio: headset	1		
USB front	1x USB 3.2 Gen 1 (5 Gbps) Type-A 1x USB 3.2 Gen 2 (10 Gbps) Type-A 1x USB 3.2 Gen 2x2 (20 Gbps) Type-C (provides up to 15W)		
USB rear	Base system: 1x USB 2.0 Type-A (plus 2 ports optional*) 3x USB 3.2 Gen 2 (10 Gbps) Type-A 1x USB 3.2 Gen 2 (10 Gbps) Type-C (supports DisplayPort 1.4 and power delivery sink**)		

	ESPRIMO G9012 ESPRIMO G9012 ESTARx		
DisplayPort	1x DisplayPort 1.4 (2nd port optional*)		
Serial (RS-232)	1 (optional*)		
HDMI	1x HDMI 2.1		
	(2nd port optional*)		
Ethernet (RJ-45)	1x RJ-45		
Interface Module notes	Only one of the interfaces marked as "optional" can be configured at the same time.		
	**With power delivery sink support, the system is operated by the power from peripherals, e.g. por replicators or displays. An extra power supply for the system is not needed. Peripherals must provide min.		
	60Watt or 90Watt (for maximum CPU performance).		
Input device			
Input devices (optional)	Keyboard		
	Mouse		
Drive bays			
Drive bays total	2		
2.5-inch internal bays	1		
5.25-inch external bays	1		
Drive bay notes	5.25" bay: for slim optical disc drive only as option with ODD bay housing version;		
M.2-2280	1 x on mainboard (PCIe 4.0 x4; up to 64Gbit/s) and 1 x optional (PCIe 3.0 x4; up to 32Gbit/s)		
Slots			
PCI-Express 3.0 x4	1 x (168 mm / 6.61 inch)		
(mech. x16)			
M.2-2230	On mainboard for WLAN module		
Graphics on board			
Graphics brand name	Intel® UHD Graphics 770, Intel® UHD Graphics 730 *Depends on CPU		
Shared video memory	Up to half size of total system memory		
Graphics features	Support for up to four independent displays		
	DirectX® 12		
	HDCP support		
Graphics features (Con'd)	OpenCL™ 2.1		
(Cond)	OpenGL ® 4.6 Vulkan™		
	DisplayPort interface supports Ver. 1.4 incl. Multi-Stream		
	HDMI™ 2.1		
	Digital audio formats are supported, including Dolby Digital Plus (7.1 channels)		
	g		
Electrical values			
Power efficiency note	90 Watt AC adapter: power supply efficiency at 115/230V: 89% average efficiency		
Rated voltage range	100 V - 240 V		
Rated frequency range	50 Hz - 60 Hz		
Operating	90 V - 264 V		
voltage range			

	ESPRIMO G9012	ESPRIMO G9012 ESTARx	
Operating line frequency range	47 Hz - 63 Hz		
Max. output of single	AC Adapter: 90 W		
power supply	internal PLATINUM power supply (optional): 150 W		
Noise emission			
Standard noise emission	According to ISO 7779:2010, ECMA-74		
Standard noise notes / description	A-weighted sound power level Lwad (in B) / Workplace related A-weighted sound pressure level LpAm (i dB(A))		
Dimensions / Weight / Er	nvironmental		
Dimensions (W x D x H)	146.5 x 164.5 x 36 mm (5.77 x 6.48 x 1.42 inch)		
Dimension notes	With ODD drive bay, the dimensions are: 146.5 x 164.5 x 51 mm (5.77 x 6.48 x 2.01 inch)		
	With internal power supply / PCIe slot version, the dimensions are:		
	146.5 x 176.9 x 71 mm (5.77 x 6.97 x 2.80 inch)		
Operating position	Vertical / Horizontal (feet included)		
Weight	Base: Min:0.86kg; 1x mem,1xSDD / Max:1.025kg; 2x mem,2xSSD,HDD,Flexi,WLAN		
	ODD version: Min:1.2kg/Max:1.29kg		
	Int. PSU version: Min:1.45kg/Max:1.59kg		
	*Weight of AC adapter and power cord are not included		
Weight notes	Actual weight may vary depending on configuration		
Operating ambient temperature	10 - 35 °C (50 - 95 °F)		
Operating relative humidity	5 - 85 % (relative humidity)		
Compliance			
Product	ESPRIMO G9012-1 (AC Adapter) ESPRIMO G9012-2 (Internal PSU)	ESPRIMO G9012 ESTARx1 (AC Adapter) ESPRIMO G9012 ESTARx2 (Internal PSU)	
Model	MPCG		
Germany	GS TÜV NRTL		
Europe	CE		
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL)	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry of WHQL) ENERGY STAR® 8.0 EPEAT® in progress (dedicated regions) TCO Certification in progress	
Compliance link	https://sp.ts.fujitsu.com/sites/certificates		

	ESPRIMO G9012 ESPRIMO G9012 ESTARx			
Additional Software				
Additional software	McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days tria			
(preinstalled)	pre-installed)			
	Microsoft Office (1 month trial for new Microsoft® Office 365 customers. Buy Microsoft Office.)			
Additional software	Recovery DVD for Windows®			
(optional)	Drivers & Utilities DVD (DUDVD)			
	Nero Essentials XL			
	Microsoft® Office Professional 2021			
	Microsoft® Office Home and Business 2021			
	(Need to buy license to activate the pre-installed Microsoft Office. Purchase and activation only in the region in which it was acquired.)			
Additional software	Use of accopanying and/or additional Software is subject to proactive acceptance of the respective License			
(notes)	Agreements /EULAs/ Subscription and support terms of the Software manufacturer as applicable for the			
	relevant Software whether preinstalled or optional. The software may only be available bundled with a			
	software support subscription which - depending on the Software - may be subject to separate remuneration.			
Security				
-				
Physical Security	Kensington Lock support			
	Eye for padlock			
System and BIOS	Embedded security (TPM 2.0)			
Security	EraseDisk			
	Credential Guard Ready and Device Guard Capable (requires 8 GB or more system RAM and SSD PCIe NVME)			
	Modern Standby and Legacy Standby selectable			
	Write protect option for the Flash EPROM			
	Control of all USB interfaces			
	External USB ports can be disabled separately			
	Control of external interfaces			
	NIST SP800-193 Platform Firmware Resiliency supported			
	NIST SP800-155 BIOS Integrity Measurement supported NIST SP800-147 BIOS Protection supported			
User Security	User and supervisor BIOS password Hard dick password			
	Hard disk password Access protection via external SmartCard reader (optional)			
	Access protection via external small certainer (optional) AuthConductor Client Basic (secure authentication solution)			
Security Notes	The properties of the product provide a baseline for product security and therefore end-customer IT security.			
	However, these properties are not sufficient on their own to protect the product from all existing threats,			
	such as intrusion attempts, data exfiltration and other forms of cyberattacks. To customize security settings,			
	please use the configuration options as available for the respective product. During operation, the IT security			
	of this product is within the responsibility of the respective administrator/end-user of the product. Please			
	note, that Fujitsu as a manufacturer does not make any policy prescriptions or advocacy statements regarding			
	IT security best practices and/or general product operation.			
Manageability				
Manageability	DeskUpdate Driver management			
technology	PXE 2.1 Boot code			
	Wake up from S5 (off mode)			
	Intrusion switch			
	WoL (Wake on LAN)			

	ESPRIMO G9012	ESPRIMO G9012 ESTARx	
Manageability	DeskView Client		
software	DeskView Instant BIOS Management		
DeskView components	BIOS Management incl. Security		
	Inventory Management		
	Driver Management		
	Alarm Management		
Supported standards	DMI (Desktop Management Interface)		
	SMBIOS (System Management BIOS)		
	PXE (Preboot Execution Environment)		
	WMI (Windows Management Instrumentation)		
	WBEM (Web Based Enterprise Management)		
	CIM (Common Information Model)		
Manageability link	http://www.fujitsu.com/fts/manageability		
Packaging information			
Packaging notes	TBC		
Warranty			
Warranty Terms &	https://www.fujitsu.com/hk/ap/warranty		
Conditions			

Fujitsu recommends Windows 11 Pro

More information

Moving forward for a sustainable world - Fujitsu Uvance



The word "Uvance" embodies a concept of "Making all (Universal) things move forward (Advance) in a sustainable direction.

Fujitsu Uvance will leverage Fujitsu's technological capabilities and problem-solving expertise across seven key focus areas, including Sustainable Manufacturing, Consumer Experience, Healthy Living, Trusted Society, Digital Shifts, Business Applications, and Hybrid IT, to offer unprecedented value to customers, while contributing to the achievement of its

ultimate purpose —"to make the world more sustainable by building trust in society through innovation."

Through Fujitsu Uvance, we are committed to transforming the world into a place where people can live their lives, enjoying prosperity and peace of mind. Empowering each other to make the world more sustainable.

For more information of Fujitsu Uvance, please visit https://www2.fujitsu.com/global/uvance

Driving customer success with Fujitsu's complete portfolio of service offering

To grow in an uncertain world, it is imperative to stay resilient and agile to respond complex and unforeseen challenges.

Under the global business brand – Uvance, Fujitsu provides a full range of reliable and best-in-class product, service, and solution offerings with digital innovation, from sustainable manufacturing to smart city ecosystem, to create a more sustainable world and resolve social issues. This empowers customers to strengthen resilience through Fujitsu's trusted solutions using cutting-edge technologies, while increasing their business agility and improving the reliability of their IT operations.

For more information, please visit https://www.fujitsu.com/global

Contact Us

HONG KONG

Fujitsu Business Technologies Asia Pacific Ltd. Tel: (852) 3910-8228 Email: fbta.hksales@fujitsu.com hk.fujitsu.com/pc

INDONESIA

PT Fujitsu Indonesia Tel: (62) 21-570-9330 Email: marketing.fid@fujitsu.com id.fujitsu.com/pc

TAIWAN

Fujitsu Taiwan Ltd. Tel: (886) 2-2311-2255 Email: ftl.lifebook@fujitsu.com tw.fujitsu.com/pc

Note: For countries not listed above, please contact Hong Kong office.

SINGAPORE Fujitsu Asia Pte Ltd. Tel: (65) 6512-7555 Email: fapl.info@fujitsu.com sg.fujitsu.com/pc

PHILIPPINES

Fujitsu Philippines, Inc. Tel: (63) 2-8841-8488 Email: info-ph@fujitsu.com ph.fujitsu.com/pc

THAILAND Fujitsu (Thailand) Co., Ltd. Tel: (66) 0-2302-1500 Email: info.th@fujitsu.com th.fujitsu.com/pc

CHINA

Fujitsu (China) Holdings Co., Ltd. – PC China Division Tel: 86 (21) 58871000-8721 Email: fbta.cs@fujitsu.com cn.fujitsu.com/pc

MALAYSIA Fujitsu (Malaysia) Sdn. Bhd Tel: (60) 3-8230-4188 Email: askfujitsu.my@fujitsu.com

my.fujitsu.com/pc VIETNAM Fujitsu Vietnam Limited

Tel: (84-24) 2220-3113 Email: sales-vn@fujitsu.com vn.fujitsu.com/pc

Specification disclaimers

¹ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 11 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. ² GB = 1 billion bytes. TB = 1 trillion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery. ³ Shared memory depending on main memory size and operating system.

Fujitsu shall not be liable for technical or editorial errors or omissions contained herein. Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Inside Logo, Intel vPro, Intel Evo, Itanium, Itanium Inside, Pentium, Pentium Inside, vPro Inside, Xeon, Xeon Phi, Xeon Inside, Intel Agilex, Arria, Cyclone, Movidius, eASIC, Enpirion, Iris, MAX, Intel RealSense, Stratix, and Intel Optane are trademarks of Intel Corporation or its subsidiaries. USB Type-C™ and USB-C™ are trademarks of USB Implementers Forum. All other trademarks are the property of their respective owners.

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.uiitscom/dobal/about/resources/terms/

© 2022 Fujitsu Business Technologies Asia Pacific Limited

Last Update: October 13, 2022