

# FWD-65X95H/T

65" BRAVIA 4K Ultra HD HDR Professional Display



### Overview

Take your business to a whole new level with the FWD-65X95H/T Professional BRAVIA display that unites exquisite pictures and sound in our finest 4K HDR professional display, and a premium flush design that keeps your audience focused on your message without distractions.

Optimised for professional applications, The FWD-65X95H/T BRAVIA is powered by the latest X1 Ultimate processor that analyses image data to boost colour, contrast and clarity. The Full Array LED screen with local dimming uncovers the subtlest shadow details, bringing you stunningly realistic high-contrast images that look great from any angle with less blur.

With advanced control, professional mode, optional interactive compatibility, 18/7 operation and an embedded HTML5 platform for easy digital signage creation; our BRAVIA 4K Displays are designed to suit all your professional needs so you always present a clear image.

Enrich your audience's display experience with seamless TEOS integration and a choice of built-in solutions to add extra functionality, from meeting room support to



automation.

For even greater peace of mind, there's the added reassurance of our 3 Year Advanced Exchange service that's included as standard. If there's a problem with your display, we'll offer a free, brand new replacement product rather than a repair. You can also choose to extend your support for an additional 2 years.

## Features

### 4K Image Resolution (3840 x 2160 pixels)

4K offers four times the detail of Full HD, with a resolution of over 8 million pixels bringing extra clarity to corporate display, education and digital signage applications.

#### Absolute Control and Contrast with Full Array LED

Full Array LED precisely balances light output across the screen, illuminating separate LED zones for more realistic contrast by making light areas lighter and dark areas darker.

#### Beautifully Realistic 4K HDR Images

Our 4K HDR Processor X1<sup>™</sup> features Object-based HDR remaster, Super Bit Mapping HDR and Dynamic Contrast Enhancer. You'll appreciate the difference with enhanced depth, more realistic textures and pure, natural colours at higher brightness levels.

#### See Finer Detail

4K X-Reality PRO upscales pictures closer to true 4K quality. Images are sharpened and refined in real time, revealing extra detail from lower-resolution picture sources.

#### Wider Colour with TRILUMINOS Display

# SONY

Powered by our X1 Ultimate processor, TRILUMINOS Display maps colours from a wider palette, faithfully reproducing a world of more vivid, lifelike hues and tones.

#### Clearer, Brighter Fast-moving Scenes

Latest X-Motion Clarity<sup>™</sup> technology keeps on-screen movement smooth and clear, boosting brightness when needed so you don't miss a thing.

#### Flush Surface, No Distractions

BRAVIA Profesional Displays feature a slim, flush design with discrete stand and thin bezel that keeps you focused on what's important - the picture.

#### Google Chromecast and Apple Airplay

With Google Chromecast built-in, and Apple Airplay, easily mirror your content and enjoy it super-sized on your BRAVIA.

#### Do More with Android TV

Discover a world of apps and online content powered by Android TV. Use Voice Search to find content easily without typing. Easily share content with Google Cast.

#### Quick Set-up with Pro Mode

Customise and store display settings and features, then copy easily to multiple displays via USB flash memory.

#### Easily Create Digital Signage

Integrated support for HTML5 makes it easy to produce compelling digital signage. Combine graphics, text, video and live web content to create attractive signage in minutes with no extra hardware or special training.

#### **Versatile Remote Control**

Control BRAVIA remotely – including on/off, input signal



select and adjust volume - over IP via RJ45 by web API.

#### **TEOS Integration**

BRAVIA integrates seamlessly with TEOS, Sony's suite of workspace management applications that orchestrate control of devices and content in boardrooms, meeting areas and public spaces.

#### Flexible Mounting and Installation

BRAVIA Professional Displays offer flexible mounting options with VESA standard mounting for easy integration into a wide range of environments.

#### **Greater Peace of Mind**

There's extra reassurance with our 3 Year Advanced Exchange PrimeSupport service that's included as standard. If there's a fault with your BRAVIA Professional Display, we'll provide a replacement unit at no extra charge to keep you up and running.

## Specifications

Display Features	
Brightness (cd/m²)	670
Native Contrast Ratio	5000:1
Dynamic Contrast Ratio	600000:1
Response Time (ms)	12
Panel Type	VA
Dimming Type	Local Dimming



Display Device	LCD
Backlight Type	Direct (Full Array LED)
Bezel Size (Top, Side, Bottom)	4.6 / 4.6 / 19.2
Operation Time	18/7

## Display Specifications

Screen Size for WEB (diagonal, cm, integer or 1st decimal)

164 cm

Backlight Type	Direct (Full Array LED)
Display Resolution (H x V, pixels)	3840 x 2160
Screen Size (inch, measured diagonally)	65" (64.5")
Viewing Angle (Right/Left)	178 (89/89) degree
Viewing Angle (Up/Down)	178 (89/89) degree
Display Resolution	QFHD
Aspect Ratio	16:09

## **Professional Features**



Professional Hidden Mode	Yes
HDMI Auto Wake- up	Yes
Multicast/ IPTV	Yes
Compatible with TDM Digital Signage/TEOS Solutions	Yes
Operating System	Android 9.0 Pie
On-board Storage (GB)	16GB

Display System	
TV System (Digital Terrestrial)	DVB-T/T2
TV System (Digital Cable)	DVB-C
TV System (Digital Sat)	DVB-S/S2
Number of Tuners (Terrestrial/Cable)	2 (Digital) / 1 (Analog)
Number of Tuners (Sat)	2

## **Network Features**

Wi-Fi Direct Yes

© 2004 - 2022 Sony Corporation. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Features and specifications are subject to change without notice. The values for mass and dimension are approximate. All trademarks are the property of their respective owners.



Yes
Yes
Yes
Vewd
Yes
Integrated

## Convenience Features

**USB** MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HD\ Playback S):AVC,MPEG4,HEVC/AVI:Xvid,MotinJpeg/ASF(W Codecs

HDMI-CEC Yes

I-Manual Yes

Screen

On

Yes

Clock

Sleep **Timer** 

Yes

On / Off

Yes

Display

Timer

Language

AFR,AMH,ARA,ASM,AZE,BEL,BUL,BEN,BOS,CAT,

## **Control Specs**

**IP Control** 

Yes



Pro mode	Yes			
Inputs & Outpu	ts			
HDMI Signal	4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60Hz), 1080p(30,50,60,100,120Hz), 1080/24p, 1080i(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 480p			
HDCP	HDCP2.3 (for HDMI1/2/3/4)			
AC Power Input	C8 INLET (REAR)			
RF (Terrestrial/Cable) Connection Input(s)	1 (Side)			
IF (Satellite) Input(s)	2 (Side)			
Composite Video Input(s)	1 (Side)			
HDMI Inputs Total	4 (4Side)			
USB Ports	2 (Side)			
Ethernet Inputs	1 (Side)			
PCMCIA Slot(s)	1 (Top)			
Audio Chosifica	tions			

## **Audio Specifications**

Speaker Position Side Back + Down Firing



Audio	Power
Outpu	t

1	0	W	+	10W	+	5W	+	5W
_	$\mathbf{\circ}$	V V		TOVV				

Video Specifications		
Wide Mode	Auto/Wide zoom/Normal/Full/Zoom/14:9	
4:3 Default	Yes	
Video Processing	4K X-Reality PRO	
Motion Enhancer	X-Motion Clarity, Auto mode	
4K Processor	Picture Processor X1 Ultimate	
HDR (High Dynamic Range) compatiblity	Yes (HDR10,HLG,Dolby Vision)	
Panel Refresh Rate (Native Hertz)	100Hz	

Design Features	
Cable Management	Yes
Frame Color	Dark Silver
Stand Design	Premium Blade Stand
VESA® Hole Spacing Compatible	Yes
VESA® Hole Pitch (W x H)	30.0 x 30.0 cm



Eco & Energy Saving			
Energy Label Rating	В		
On-mode Power Consumption	200W		
Power Consumption (in Standby)	0.50W		
Peak Luminance Ratio for EU	75%		
Mercury Content (mg)	0.0		
Power Saving Mode / Back Light Off Mode	Yes		
Power Requirements (voltage)	AC 220-240V		
Power Consumption (Networked Standby)	2.00W (Wi-Fi) / 2.00W (LAN) / 1.00W (Bluetooth)		
Dimonsions			
Dimensions			
Display Only (W x H x D)	Approx. 144.8 x 83.3 x 7.0 cm		
Display with Stand $(W \times H \times D)$	Approx. 144.9 x 90.6 x 35.3 cm		

<sup>© 2004 - 2022</sup> Sony Corporation. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Features and specifications are subject to change without notice. The values for mass and dimension are approximate. All trademarks are the property of their respective owners.



Weights (Approx.)	
Display Only	Approx. 22.3 Kg
Display with Stand	Approx. 23.7 Kg
Package Carton (Gross)	Approx. 32 kg


## **Optional Accessories**

SU-WL450(Terminal access limitation, refer to SU-WL450 Wallmount Bracket product page), SU-WL850(Refer to Country/Area Handling Chart)

PrimeSupport	
Included PrimeSupport	3 years of Standard helpdesk (Mon-Fri 9:00-18:00 CET) and Advanced Replacement service in case of product fault with all logistics covered.
Optional PrimeSupport Extensions	Optional 2-year support extension available: PSP.FDWXH9565.2X

# SONY

## Gallery



# SONY











