

---

# SureColor SC-T7200 (with Stand)

---

DATASHEET / BROCHURE



A highly productive 44-inch printer that combines performance, quality and value to save you time and money

The SureColor SC-T7200 maximises performance in busy graphics, CAD and GIS production environments. Powerful image processing and a fast print speed meet the market's need for maximum productivity and flexibility. Epson's PrecisionCore TFP printheads do not need replacing and, together with UltraChrome XD ink, deliver the highest level of performance, value and versatile media support.

### Ideal for graphics, CAD and GIS

The SureColor SC-T7200 is one of the SureColor SC-T series of high-speed, four-colour large-format printers, designed to produce a wide range of high-quality graphics, CAD and GIS applications in design, commercial print, copy shop, architecture, building, engineering, retail and education environments.

### Highly productive

To maximise productivity, the SureColor SC-T7200 features 1GB of RAM for ultra-fast image processing, and an optional 320GB HDD for job caching and recall. Optional PostScript support with dual 1.6GHz CPUs enables printing of large data-rich files quickly and directly from leading design and CAD programs. And the SureColor SC-T7200 is fast — outputting an A1 print takes just 28 seconds.

### High quality output

The combination of Epson's PrecisionCore TFP printheads and UltraChrome XD pigment ink delivers industry-leading output quality and precise, repeatable performance. UltraChrome XD pigment ink is smudge and water resistant and delivers deep blacks and crisp, dense lines — ideal for technical graphics — and the vibrant colours necessary for high-quality prints and posters, on coated and non-coated media — including board up to 1.5mm thick.

### Compact, quiet and easy to use

With its sleek styling, compact footprint, low noise levels and front operation, the SureColor SC-T7200 is designed to fit easily into an office environment.

---

## KEY FEATURES

---

- **Fast processing**  
High-speed printing of Graphics, CAD and GIS applications
- **Large-capacity ink cartridges**  
A choice of 110, 350 and 700 ml sizes mean a low TCO
- **PrecisionCore TFP printhead**  
Permanent printheads for duration of printer lifetime
- **UltraChrome XD inks**  
Produce quality, vibrant, smudge- and water-resistant images
- **PostScript support with 2 x 1.6GHz CPUs**  
Print multiple formats, including data-rich files, quickly and directly

## PRODUCT SPECIFICATIONS

### TECHNOLOGY

|                 |                                     |
|-----------------|-------------------------------------|
| Printing Method | PrecisionCore™ TFP print head       |
| Ink Technology  | UltraChrome® XD aqueous pigment ink |

### PRINT

|                      |   |
|----------------------|---|
| Number of colours    | 5 colour  |
| Colours              | Photo Black [Pigment], Matte Black [Pigment], Cyan [Pigment], Yellow [Pigment], Magenta [Pigment]   |
| Colours Capacity     | Black [110ml, 350ml, 700ml], Photo Black [110ml, 350ml, 700ml], Cyan [110ml, 350ml, 700ml], Yellow [110ml, 350ml, 700ml], Magenta [110ml, 350ml, 700ml] |
| Minimum Droplet Size | 3,5 pl, With Variable-Sized Droplet Technology  |
| Minimum line width   | 0,02 mm   |
| Line accuracy        | +/- 0,26  |
| Print from           | PC, MAC   |
| Nozzle Configuration | 720 Nozzles Black, 720 Nozzles per Color  |
| Printing Resolution  | 2.880 x 1.440 DPI   |

### PAPER / MEDIA HANDLING

|                            |   |
|----------------------------|---|
| Paper Formats              | A0 (84.1x118.9cm), A1 (59.4x84.1 cm), A2 (42.0x59.4cm), A3+, A3 (29.7x42.0 cm), A4 (21.0x29.7 cm), B1 (72.8x102.8 cm), B2 (51.4x72.8 cm), B3 (36.4cmx51.4 cm), B4 (25.7x36.4 cm), 17 " (43.2 cm) Roll, 24 " (61.0 cm) Roll, 44 " (111.8 cm) Roll, 36 " (91.4 cm) Roll |
| Print Margins Sheet Media  | Mode 1: 3 mm (top), 3 mm (right), 14 mm (bottom), 3 mm (left)   |
| Compatible Paper Thickness | 0,08 mm - 1,5 mm  |
| Duplex                     | No  |
| Borderless printing on     | 10 inches, 11.81 inches, 12.95 inches, 15.98 inches, 17.01 inches, 20.28 inches, 23.39 inches, 24.02 inches, 28.66 inches, 33.11 inches, 35.98 inches, 40.55 inches, 44.02 inches   |

### GENERAL

|                    |  |
|--------------------|--|
| Power consumption  | 64 Watt, 3 Watt (standby), 0,5 Watt (Power off)  |
| Supply Voltage     | AC 100 V - 240 V, 50 Hz - 60 Hz  |
| Product dimensions | 1.608 x 813 x 1.128 mm (Width x Depth x Height)  |
| Product weight     | 92 kg  |
| Sound Power        | Operation: 6,8 B (A)   |
| Noise Level        | Operation (Roll): 50 dB (A)  |
| Optional extras    | Wide Format Scanner, Hard Drive, Adobe Postscript 3 enablement unit (includes HDD), Attachment for Auto Take up reel unit, Document carrier sheet A0, Roll adapter, Cover Plus warranty extensions, 36" Scanner stand, 44" Scanner stand |

## SureColor SC-T7200 (with Stand)

### WHAT'S IN THE BOX

- Driver and utilities (CD)
- Individual Ink Cartridges
- Power cable
- Setup guide
- User manual (CD)
- Maintenance box
- Printer Stand with stacking print basket
- SureColor T-Series Printer

## PRODUCT SPECIFICATIONS

### OTHER FEATURES

|                                    |  |
|------------------------------------|--|
| Memory                             | Printer: 1 GB  |
| Compatible Operating Systems       | Linux, Mac OS 10.5.8 or later, Windows 10, Windows 7, Windows 7 x64, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista (32/64 bit), Windows XP, Windows XP x64 |
| Emulations                         | HP-GL2, RTL, Adobe® Postscript 3® (optional), ESC/P-R  |
| Features                           | Direct scan-to-print without PC  |
| Interfaces                         | Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T)   |
| Optional Software & Solutions      | Epson Print Automate, Dinax Mirage   |
| Security                           | TLS, SSL, IEE 802, SNMP, IPsec, IPv6   |
| Media Handling                     | Auto cutter, Auto take up reel, Borderless print, Borderless print (up to 10 x 15cm), Fine Art Paper Path, Roll Paper  |
| Scanner not included with delivery |  |

### LCD AND MEMORY CARDS

|       |                               |
|-------|-------------------------------|
| Panel | Type: Color, Diagonal: 6,8 cm |
|-------|-------------------------------|

### SCAN

|                     |                            |
|---------------------|----------------------------|
| Optional            | (optional)                 |
| Scanner type        | Contact image sensor (CIS) |
| Media width         | 38" (153mm to 965.2mm)     |
| Optional scanner    | 36" Scanner - Tx200 series |
| Scan width          | 36" (153mm to 914.4mm)     |
| Maximum scan length | 30,5 m                     |

### OTHER

|          |  |
|----------|--|
| Warranty | 12 months On-site service<br>Optional warranty extension available |
|----------|--|

## SUPPLIES

|  |            |
|--|------------|
| ● Production Photo Paper Semigloss 200 24" x 30m                   | C13S450376 |
| ● Production Photo Paper Glossy 200 36" x 30m                      | C13S450372 |
| ● Auto Cutter Spare Blade S902007                                  | C13S902007 |
| ● Maintenance Box T619300  | C13T619300 |
| ● Singlepack UltraChrome XD CyanT692200(110ml)                     | C13T692200 |
| ● Singlepack UltraChrome XD CyanT693200(350ml)                     | C13T693200 |
| ● Singlepack UltraChrome XD CyanT694200(700ml)                     | C13T694200 |
| ● Singlepack UltraChrome XD MagentaT692300(110ml)                  | C13T692300 |
| ● Singlepack UltraChrome XD MagentaT693300(350ml)                  | C13T693300 |
| ● Singlepack UltraChrome XD MagentaT694300(700ml)                  | C13T694300 |
| ● Singlepack UltraChrome XD Matte BlackT692500(110ml)              | C13T692500 |
| ● Singlepack UltraChrome XD Matte BlackT693500(350ml)              | C13T693500 |
| ● Singlepack UltraChrome XD Matte BlackT694500(700ml)              | C13T694500 |
| ● Singlepack UltraChrome XD Photo Black T692100 (110ml)            | C13T692100 |
| ● Singlepack UltraChrome XD Photo BlackT693100(350ml)              | C13T693100 |
| ● Singlepack UltraChrome XD Photo BlackT694100(700ml)              | C13T694100 |
| ● Singlepack UltraChrome XD YellowT692400(110ml)                   | C13T692400 |
| ● Singlepack UltraChrome XD YellowT693400(350ml)                   | C13T693400 |
| ● Singlepack UltraChrome XD YellowT694400(700ml)                   | C13T694400 |
| ● Archival Matte Paper, DIN A3+, 189g/m{s2}, 50 Sheets             | C13S041340 |
| ● Archival Matte Paper, DIN A3, 189g/m{s2}, 50 Sheets              | C13S041344 |
| ● Bond Paper Bright 90, 594mm x 50m                                | C13S045277 |
| ● Bond Paper Bright 90, 610mm x 50m                                | C13S045278 |
| ● Bond Paper Satin 90, 610mm x 50m                                 | C13S045282 |
| ● Bond Paper White 80, 594mm x 50m                                 | C13S045272 |
| ● Bond Paper White 80, 610mm x 50m                                 | C13S045273 |
| ● Coated Paper 95, 610mm x 45m                                     | C13S045284 |
| ● Doubleweight Matte Paper Roll, 24" x 25 m, 180g/m{s2}            | C13S041385 |
| ● Enhanced Adhesive Synthetic Paper Roll, 24" x 30,5 m, 135g/m{s2} | C13S041617 |
| ● Enhanced Matte Paper Roll, 17" x 30,5 m, 189g/m{s2}              | C13S041725 |
| ● Enhanced Matte Paper, 24" x 30,5 m, 189g/m{s2}                   | C13S041595 |
| ● Enhanced Matte Paper, DIN A2, 192g/m{s2}, 50 Sheets              | C13S042095 |
| ● Enhanced Matte Paper, DIN A3+, 192g/m{s2}, 100 Sheets            | C13S041719 |
| ● Enhanced Matte Paper, DIN A4, 192g/m{s2}, 250 Sheets             | C13S041718 |
| ● Enhanced Matte Posterboard, 24" x 30", 1130g/m{s2}               | C13S041598 |
| ● Enhanced Matte Posterboard, DIN A2, 800g/m{s2}, 20 Sheets        | C13S042111 |
| ● Enhanced Matte Posterboard, DIN A3+, 800g/m{s2}, 20 Sheets       | C13S042110 |
| ● Enhanced Synthetic Paper Roll, 24" x 40 m, 84g/m{s2}             | C13S041614 |
| ● Matte Backlit Film, 24" x 30,5 m, 280g/m{s2}                     | C13S045083 |

- Matte Paper Heavy Weight, DIN A3+, 167g/m{s2}, 50 Sheets
- Matte Paper Heavy Weight, DIN A3, 167g/m{s2}, 50 Sheets
- Matte Paper Heavy Weight - A4 - 50 Sheets
- Photo Paper Gloss, 17" x 30,5 m, 250g/m{s2}

C13S041264  
C13S041261  
C13S041256  
C13S041892

---

**SureColor SC-T7200 (with Stand)**

---

## LOGISTICS INFORMATION

|                   |               |
|-------------------|---------------|
| SKU               | C11CD68301A0  |
| EAN code          | 8715946542195 |
| Country of Origin | China         |





Epson Europe B.V. (Holland) Filial Sverige  
Support: +46 8-5051 3701  
level.one@epson.se  
www.epson.se

Finlandsgatan 10  
164 74 Kista  
Öppettider Support: 09.00 – 17.00

Varumärken och registrerade varumärken tillhör Seiko Epson Corporation eller Epsons respektive ägare.  
Produktinformation kan ändras utan förvarning.

**EPSON®**