

### Everyday Productivity

Expand your view and your productivity with this 23.8-inch diagonal, FHD monitor when you're working or learning. This sleek, sizeable monitor makes computing easy and complete via a crisp, smooth screen and simple design, so you can do more everyday.



#### In Full View

Enjoy how your projects or assignments look on this IPS monitor with excellent, front-ofscreen views. It boasts FHD resolution and AMD FreeSync™ technology featuring a 75Hz refresh rate<sup>1</sup> for sharp images and fluid motion.

#### Modern Design. Functional Fit.

Clear your mind and your desk with a monitor designed to work in any space. Keep the focus on your screen through the sleek 3-sided micro-edge bezel, neat cable management, and slim stand with adjustable tilt for your perfect view.

#### Intuitive Inputs. Easy Control.

Make your workspace as simple as possible, so you can concentrate on what you do best. Easily setup your monitor by customizing your settings with the intuitive Joypad OSD button or manage them directly from the screen with HP Display Center<sup>2</sup>.

#### Reduce. Repurpose. Recycle.

To do more for the planet, we are helping to close the loop by repurposing IT equipment in our newest EPEAT® registered<sup>3</sup> and ENERGY STAR® monitors. To go above and beyond, these monitors contain 85% recycled plastics solely from recycled ITE plastics<sup>4</sup>. Plus, this monitor ships in 100% recyclable packaging<sup>5</sup>.

### Featuring

#### 75 Hz Refresh Rate

Experience smooth, life-like video and clear detail with a 75 Hz refresh rate that provides fluid movement from frame to frame.<sup>1</sup>

#### **IPS** Panel

No matter where you stand, IPS technology ensures image accuracy and consistency across wide 178-degrees horizontal and vertical viewing angles.

#### 3-Sided Micro-Edge Bezel

See and do more on your screen with a 3-sided micro-edge bezel that maximizes your viewing area for a sleek design and seamless dual-monitor setups.

#### Easy Joypad OSD Button

It's never been easier to configure your display with the Joypad OSD button to adjust brightness, resolution, and volume.

#### Low Blue Light Mode

Keep your eyes comfortable with subtly warmer display colors onscreen.

#### With the Environment in Mind

Meeting the latest standards with EPEAT® registered, ENERGY STAR® and TCO certifications.<sup>3</sup>

#### Thoughtful Product Packaging

We use 100% recyclable packaging that meets recycling requirements, so it can stay out of the landfill.<sup>5,6</sup>

#### Neat Cable Management

Neat cable management solution for a cleaner workspace and more productivity.

#### **HP Display Center**

Customize your display with easy, intuitive HP Display Center software that lets you tailor your settings, partition screens, and even dim the screen.<sup>2</sup>

#### AMD FreeSync™

AMD FreeSync<sup>™</sup> technology provides smooth, tear-free videos by reducing input latency, screen tearing, and stuttering.<sup>7</sup>







Tilt	-5 to +23°
Display size	60.5 cm (23.8°)
Display colors	Up to 16.7 million colors supported <sup>3</sup>
Aspect ratio	16:9 <sup>1</sup>
Display type	IPS
Pixel pitch	0.27 x 0.27 mm
Response time	5ms GtG (with overdrive) <sup>1</sup>
Brightness	250 nits <sup>1</sup>
Contrast ratio	1000:1 <sup>1</sup>
Display contrast ratio (dynamic)	900000:1
Product color	Black; 72% NTSC
Resolution (maximum)	FHD (1920 x 1080 @ 75 Hz) <sup>1</sup>
Resolutions supported	640 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 800; 1280 x 1024; 1440 x 900; 1600 x 900; 1680 x 1050; 1920 x 1080
Display scan frequency (horizontal)	30-86 KHz
Display scan frequency (vertical)	48-75 Hz
Display features	On-screen controls; AMD FreeSync™; Low blue light mode; Anti-glare
Physical security features	Security lock-ready <sup>10</sup>
Environmental specifications	Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; 85% post-consumer recycled plastic; 100% ITE-derived closed loop plastic; Low Halogen 5.6,7.8
Display User Control Options	Power control; Brightness; Exit; Menu control; Input control; Information; Color control; Image control; Management
Operating temperature range	5 to 35°C
Operating temperature range	41 to 95°F
Operating humidity range	20 to 80% RH
Ecolabels	EPEAT® registered; TCO Certified configurations available <sup>4</sup> ; ENERGY STAR® certified
Power supply	100 - 240 VAC 50/60 Hz
VESA mount	100 mm x 100 mm <sup>12</sup>
Pallet dimensions (Width x Depth x Height)	122 x 103 x 249.2 cm
Pixels per inch (ppi)	93 ppi
Panel bit depth	8 bit (6 bit + FRC)
Vertical viewing angle	178°
Horizontal viewing angle	178°
Bezel	3-sided micro-edge
Tilt	-5 to +23°
Hardness	3Н
Screen treatment	Anti-glare
Flicker-free	Yes (TÜV certified)
Low blue light modes	Yes (TÜV certified)
Port and Connectors HDCP	1 VGA; 1 HDMI 1.4; 1 DisplayPort™ 1.2 Yes, DisplayPort™ and HDMI
Management software	HP Display Center <sup>11</sup>
Certifications and compliances	Argentina S-Mark; Australia MEPS; CB; CE; CECP; CEL; CEL Grade 1; China CCC; CTUVus; ENERGY STAR®; ErP; EUP Lot-6; FCC; ICES; ISO 9241-307; KC (Korean) requirements; KCC (Korean) requirements; KCC (Korean) requirements; Korea e-standby; Microsoft WHQL Certification; NOM (Mexico); PSB for Singapore; RCM; RaHS; SEPA; Taiwan BSMI; TCO Certified; TCO Certified Edge; TUV Bauart; VCCI; Vietnam MEPS; Low blue light; EUP Lot-26; EU RoHS; Ukraine Energy
What's in the box	label; California Energy Commission (CEC); South Africa Energy; Mexico Energy; UAE; Ukraine certificates; NRCS of South Africa; TÜV Flicker free certified; India BIS; Cambodia ISC
Dimensions (L x W x H)	21.22 x 2.03 x 12.74 in ; 53.89 x 5.15 x 32.36 cm (Without stand.)
Weight	3.6 kg
Package Dimensions (L x W x H)	59.5 x 12.4 x 39.1 cm
Package weight	5.5 kg
Pallet (layers)	6
Products per layer	16
Products per pallet	80
Pallet dimensions	122 x 103 x 249.2 cm
Pallet weight	550 kg

#### **Messaging Footnotes**

<sup>1</sup> All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower <sup>2</sup> Host PC requires Windows 10 or higher. HP Display Center is available on the Microsoft store.

<sup>3</sup> Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. EPEAT® status varies by country. Visit www.epeat.net for more information. <sup>4</sup> ITE Derived Closed Loop Plastic percentage is based on the definition set in the IEEE 1680.1-2018 standard.

<sup>5</sup> 100% outer box/corrugate cushion packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic. Excludes plastic bags and plastic foam sheeting.

<sup>6</sup> Recycling facilities not available in all locations.
<sup>7</sup> FreeSync™ is only available when it is connected on Display Port or HDMI. FreeSync is an AMD® technology is enabled on FHD or QHD displays AMD Radeon Graphics and/or AMD A-Series APU-compliant monitors with DisplayPort/HDMI Adaptive-Sync required. AMD 15.11 Crimson driver (or newer) required to support FreeSync over HDMI. Adaptive refresh rates vary by monitor. More information is available at www.amd.com/freesync.

#### **Technical Specifications Footnotes**

<sup>1</sup> All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower

<sup>2</sup> DisplayPort<sup>™</sup> 1.2 or HDMI 1.4 required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDMI. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDMI. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDMI. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDMI. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDMI. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDMI. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDMI. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDMI. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDMI. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDMI. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDMI. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDMI. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDMI. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DisplayPort<sup>™</sup>, HDMI. The video card of the connected PC must be capable of supporting 1920 x

<sup>4</sup> EPEAT® registered where applicable. EPEAT® registration varies by country. See www.epeat.net for registration status by country. Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit www.epeat.net for more information.

 <sup>6</sup> Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.
 <sup>6</sup> Molded pulp cushions are made from 100% recycled wood fiber and organic materials.
 <sup>7</sup> External power supplies, WWAN modules, power cords, cables and peripherals excluded. Service parts obtained after purchase may not be Low Halogen. <sup>9</sup> ITE Derived Closed Loop Plastic percentage is based on the definition set in the IEEE 1680.1-2018 standard. <sup>9</sup> Included cables may vary by country.

<sup>10</sup> Lock sold separately.

<sup>11</sup> HP Display Center requires Windows 10 (or higher) on host PC and is available from the Windows store.

