

MPN: HDM191940V2.0OP

# Premium Optic Fiber HDMI 2.0 Cable

## 40m

This active optical HDMI 2.0 cable connects devices across long distances up to 100m without data loss – even in sensitive applications. It contains both fiber optic and copper cores, it is lightweight, flexible and has an ultra-small bend radius which makes it perfectly suitable for all kinds of installations.

- Supporting 4K60Hz, 18Gbps
- Sampling : YUV 4:4:4
- Outer Diameter: 4,5mm, very flexible
- Compatible with HDMI 2.0 standard
- Supports EDID, CEC, HDCP (2.2), HDR (High Dynamic Range ), HEC, ARC
- Hybrid optical cable with fiber and copper wire
- Has Source & Display clearly printed on the connector for easy identification
- No loss of signal – delivering crystal clear digital images instantly
- Low RFI / EMI profile for sensitive applications
- Has high pulling strength and compression load



## Specifications

Features	3D	Yes
Audio Return Channel (ARC)	Yes	Yes
Cable length	40 m	
Cable material	Fiber optic	
Connector 1	HDMI Type A (Standard)	
Connector 1 form factor	Straight	
Connector 1 gender	Male	
Connector 2	HDMI Type A (Standard)	
Connector 2 form factor	Straight	
Connector 2 gender	Male	
Connector contacts plating	Gold	
Data transfer rate	18 Gbit/s	
Dolby technologies	Dolby TrueHD	
HDCP	Yes	
HDCP version	1.4/2.2	
HDMI version	2.0	
High Dynamic Range (HDR) supported	Yes	
Maximum refresh rate	60 Hz	
Maximum resolution	4096 x 2160 Pixels	
Plug and Play	Yes	
Product colour	Black	
Quantity per pack	1 pc(s)	
RoHS compliance	Yes	

<b>Other features</b>	<b>Quantity</b>	1
<b>Package dimensions (verified)</b>	<b>Depth Verified</b>	22.7 cm
	<b>Gross Weight Verified</b>	1.412 kg
	<b>Height Verified</b>	7.5 cm
	<b>Width Verified</b>	23.9 cm
<b>Product dimensions</b>	<b>Net Weight (Product, kg)</b>	1.4 kg
<b>Vendor information</b>	<b>Brand Name</b>	MicroConnect
	<b>Warranty</b>	25 Year(s)
<b>Weight &amp; dimensions</b>	<b>Cable diameter</b>	4.5 mm

## Other products in this series

Cable length	
10.0	HDM191910V2.0OP
15.0	HDM191915V2.0OP
20.0	HDM191920V2.0OP
25.0	HDM191925V2.0OP
30.0	HDM191930V2.0OP
40.0	HDM191940V2.0OP
50.0	HDM191950V2.0OP
70.0	HDM191970V2.0OP
75.0	HDM191975V2.0OP
100.0	HDM1919100V2.0OP

## Other images

