

MPN: BNC-HDSDI-1M

12G-SDI BNC cable cable 1m

MicroConnect 12G SDI cable supports signals from 12G-SDI, 6G-SDI, HD-SDI and 3G-SDI. The cable is designed for use with your professional equipment that requires an SDI connection. Support 4K60Hz for resolutions up to 4096x2160 & Full HD 1080p.

75ohm

- Designed in Denmark
- Flexible and durable: Best suited to mobile HD application
- Designed for withstanding repeated bending
- Stranded center conductor
- High-density double-braided shield.



Specifications

Features	Cable length	1 m
	Connector 1	BNC
	Connector 1 gender	Male
	Connector 2	BNC
	Connector 2 gender	Male
Package dimensions	Depth (package,cm)	1.5 cm
	Gross Weight (Package, kg)	0.05 kg
	Height (package,cm)	18 cm
	Width (package,cm)	20 cm
Product dimensions	Net Weight (Product, kg)	0.04 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)

Other products in this series

Cable length	
1.0	BNC-HDSDI-1M
2.0	BNC-HDSDI-2M
3.0	BNC-HDSDI-3M
5.0	BNC-HDSDI-5M
10.0	BNC-HDSDI-10M
15.0	BNC-HDSDI-15M
20.0	BNC-HDSDI-20M
100.0	BNC-HDSDI-100R

Other images

