

MPN: DP-MMG-2000MBV1.4OP

# Premium Optic Fiber Mini DisplayPort 1.4 to DisplayPort Cable, 20m

This active optical Mini DisplayPort – DisplayPort 1.4 Cable connects devices across long distances up to 100m without data loss – even in sensitive applications. It contains both fiber optic and copper cores, it is lightweight, flexible and has an ultra-small bend radius which makes it perfectly suitable for all kinds of installations. This cable also comes with an additional DisplayPort adapter, which makes it possible to use it also as a DisplayPort Male to DisplayPort male cable if needed. Fibre



- Supporting 8K60Hz, 32.4Gbps
- Sampling : YUV 4:4:4
- Outer Diameter: 4,8mm, very flexible
- Support DP1.4 standard, bandwidth can reach 8.1 Gbps per channel
- Supports EDID, HDCP (2.2), HDR (High Dynamic Range ), HBR3
- Hybrid optical cable with fibre and copper wire
- Has Source & Display clearly printed on the connector for easy identification
- No loss of signal – delivering crystal clear digital images instantly
- Low RFI / EMI profile for sensitive applications
- Has high pulling strength and compression load
- as an extra feature it comes with a DisplayPort adapter, which enables you to use it from a DisplayPort source to a DisplayPort monitor.

## Specifications

Features	3D	Yes
	<b>Cable length</b>	20 m
	<b>Cable material</b>	Fiber optic
	<b>Connector 1</b>	DisplayPort
	<b>Connector 1 gender</b>	Male
	<b>Connector 2</b>	DisplayPort
	<b>Connector 2 gender</b>	Male
	<b>Connector contacts plating</b>	Gold
	<b>Data transfer rate</b>	32.4 Gbit/s
	<b>DisplayPort Content Protection (DPCP)</b>	Yes
	<b>DisplayPort version</b>	1.4
	<b>HDCP</b>	Yes
	<b>Jacket material</b>	Polyvinyl chloride (PVC)
	<b>Latching connectors</b>	Yes
	<b>Maximum resolution</b>	7680 x 4320 Pixels
	<b>Product colour</b>	Black
	<b>RoHS compliance</b>	Yes
<b>Package dimensions (verified)</b>	<b>Depth Verified</b>	22.9 cm
	<b>Gross Weight Verified</b>	0.774 kg

<b>Package dimensions (verified)</b>	<b>Height Verified</b>	4.2 cm
	<b>Width Verified</b>	23.9 cm
<b>Packaging data</b>	<b>Cable diameter</b>	4.8 mm
	<b>Quantity per pack</b>	1 pc(s)
<b>Product dimensions</b>	<b>Net Weight (Product, kg)</b>	0.674 kg
<b>Vendor information</b>	<b>Brand Name</b>	MicroConnect
	<b>Warranty</b>	25 Year(s)

## Other products in this series

Cable length	
15.0	DP-MMG-1500MBV1.4 4OP
20.0	DP-MMG-2000MBV1. 4OP
30.0	DP-MMG-3000MBV1. 4OP
50.0	DP-MMG-5000MBV1. 4OP
70.0	DP-MMG-7000MBV1. 4OP
100.0	DP-MMG-10000MBV1. 4OP

## Other images

