



# LCD DISPLAY VA2215-H


## Key Features

- Eyecare technology for comfortable viewing
- Eco-mode for low energy consumption
- ViewMode color rendering options
- 75Hz Adaptive sync to eliminate screen tearing and reduce stuttering
- HDMI and VGA inputs for connectivity



## Product Description

The ViewSonic VA2215-H is a 22" Full HD monitor with HDMI and VGA input for business or home usage. Delivering a stunning image quality with low power consumption, this monitor provides six ViewMode presets that deliver optimized screen performance based on your needs. Adaptive sync means no tearing or stuttering even when gaming. The eye care technology that comes standard with all VA monitors helps to eliminate eyestrain from extended viewing periods. A VESA-compatible mount makes this monitor is easy to setup on the wall or with a wide range of industry-standard mounts.



1. Joy Key
2. Power in
3. HDMI 1.4
4. VGA
5. 3.5mm Audio Out
6. VESA Compatible(Wall Mount 100 x 100mm)

Visit Us



**DISPLAY**

Display Size (in.):	22
Viewable Area (in.):	21.5
Panel Type:	VA Technology
Resolution:	1920 x 1080
Resolution Type:	FHD
Static Contrast Ratio:	3,000:1 (typ)
Dynamic Contrast Ratio:	50M:1
Light Source:	LED
Brightness:	250 cd/m <sup>2</sup> (typ)
Colors:	16.7M
Color Space Support:	8 bit true
Aspect Ratio:	16:9
Response Time (Typical GTG):	5ms
Viewing Angles:	178° horizontal, 178° vertical
Backlight Life (Hours):	30000 Hrs (Min)
Curvature:	Flat
Refresh Rate (Hz):	75
Adaptive Sync:	Yes
Blue Light Filter:	Yes
Flicker-Free:	Yes
Color Gamut:	NTSC: 72% size (Typ) sRGB: 104% size (Typ)
Pixel Size:	0.249 mm (H) x 0.241 mm (V)
Surface Treatment:	Anti-Glare, Hard Coating (3H)
<b>COMPATIBILITY</b>	
PC Resolution (max):	1920x1080
Mac® Resolution (max):	1920x1080
PC Operating System:	Windows 10 certified; macOS tested
Mac® Resolution (min):	1920x1080
<b>CONNECTOR</b>	
VGA:	1
3.5mm Audio Out:	1
HDMI 1.4:	1
Power in:	External power adapter
<b>POWER</b>	
Eco Mode (Conserve):	13W
Eco Mode (optimized):	15W
Consumption (typical):	20W
Consumption (max):	21W
Voltage:	AC 100-240V, 50/60 Hz
Stand-by:	0.5W
Power Supply:	External

**ADDITIONAL HARDWARE**

Kensington Lock Slot:	1
-----------------------	---

**CONTROLS**

Physical Controls:	U, R, D, L, EN (power)
On Screen Display:	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu

**OPERATING CONDITIONS**

Temperature:	32°F to 104°F (0°C to 40°C)
Humidity (non-condensing):	20% to 90%

**WALL MOUNT**

VESA Compatible:	75 x 75 mm
------------------	------------

**INPUT SIGNAL**

Frequency Horizontal:	24 ~ 86KHz
Frequency Vertical:	48 ~ 75Hz

**VIDEO INPUT**

Digital Sync:	TMDS - HDMI (v1.4)
Analog Sync:	Separate - RGB Analog

**ERGONOMICS**

Tilt (Forward/Back):	-3° / 20°
----------------------	-----------

**WEIGHT (IMPERIAL)**

Net (lbs):	5.3
Net Without Stand (lbs):	4.4
Gross (lbs):	7.7

**WEIGHT (METRIC)**

Net (kg):	2.4
Net Without Stand (kg):	2
Gross (kg):	3.5

**DIMENSIONS (IMPERIAL) (WXHXD)**

Packaging (in.):	22.4 x 15.1 x 4.6
Physical (in.):	19.4 x 14.8 x 7.4
Physical Without Stand (in.):	19.4 x 11.1 x 1.5

**DIMENSIONS (METRIC) (WXHXD)**

Packaging (mm):	570 x 383 x 118
Physical (mm):	492 x 377 x 188
Physical Without Stand (mm):	492 x 282 x 38

**GENERAL**

Regulations:	RoHS, WEEE, BSMI, VCCI, PSE
PACKAGE CONTENTS:	VA2215-H x1, HDMI Cable (v1.4; Male-Male) x1, AC/DC Adapter x1, Quick Start Guide x1
Recycle/Disposal:	Please dispose of in accordance with local, state or federal laws.
Warranty:	*Warranty offered may differ from market to market