

MPN: USB3.1CFIBB

USB C - Gigabit Fiber Ethernet

The Type-C to Gigabit Fiber Ethernet adapter used an controller RTL8153, Which is features USB 3.1 to provide higher bandwidth and improved protocols for data exchange between the host and the device. Type-C also offers more advanced power management features for energy saving. The RTL8153 supports IEEE802.3az-2010, also known as Energy Efficient Ethernet (EEE), and it is fully compliant with Microsoft NDIS5, NDIS6 (IPv4,IPv6,TCP,UDP) checksum features ,and supports IEEE 802 IP layer 2 priority encoding and IEEE 802.1Q Virtual bridged Local Area network (VLAN). It is suitable for desktop, workstation, server, communication platforms etc.



Specifications

Design	Internal	No
	Product colour	Black
	RoHS compliance	Yes
Network	Cabling technology	10/100/1000BaseT(X)
	Ethernet LAN data rates	1000 Mbit/s
	Maximum data transfer rate	1000 Mbit/s
	Wi-Fi	No
Other features	Quantity per pack	1 pc(s)
Package dimensions (verified)	Depth Verified	16.5 cm
	Gross Weight Verified	0.136 kg
	Height Verified	3.3 cm
	Width Verified	22.5 cm
Ports & interfaces	Connectivity technology	Wired
	Fiber optic connector	SFP
	Fiber ports quantity	1
	Host interface	USB Type-C
	Interface	Fiber
Product dimensions	Net Weight (Product, kg)	0.02 kg
System requirements	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP
Technical details	Quantity per pack	1 pc(s)
	Sustainability certificates	RoHS
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)

Other images

