

KA7920



- PS/2 KVM Adapter Cable (CPU Module)
- ➔ [The most cost effective choice for installations with less than 4.5m between server and switch!](#)
The KA7920 PS/2 KVM Adapter Cable connects the KVM switch to the video, PS/2 mouse and PS/2 keyboard ports of the target computer. With its small form factor and light weight design, it fits perfectly into most of the rack-mount or desktop servers.



Features

- Keyboard and mouse emulation - keeps your server functioning smoothly when it is disconnected from the switch's KVM port or relocated to different KVM port
- Lifetime firmware upgrades
- Built in 4.5m Cat 5 cable
- Superior video quality - supports resolution of up to 1600 x 1200 within the distance of up to 4.5m
- Hot pluggable - add or remove computers without having to power down the switch.
- Compact size


*1680 x 1050 (Reduced blanking) and 1920 x 1200 (Reduced blanking) not supported by KA7xxxx KVM Adapter Cables

Specification

Connectors	Link	1 x RJ-45 Female with 4.5m Cat 5 cable
	Mouse to computer	1 x PS/2 Male
	Keyboard to computer	1 x PS/2 Male
	VGA to computer	1 x HDB-15 Male

LEDs	On Line /Link	1 (Orange)
Physical Properties	Housing	Plastic
	Weight	0.25 kg
	Dimensions (L x W x H)	7.93x3.70x1.55cm

Diagram



ATEN International Co., Ltd.

3F, No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767
www.aten.com E-mail: marketing@aten.com



© Copyright 2014 ATEN® International Co., Ltd.
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
All rights reserved. All other trademarks are the property of their
respective owners.