

MPN: HDM191970V2.00P

Premium Optic Fiber HDMI 2.0 Cable 70m

This active optical HDMI 2.0 cable connects devices across long distances up to 100m without data loss – even in sensitive applications. It contains both fiber optic and copper cores, it is lightweight, flexible and has an ultra-small bend radius which makes it perfectly suitable for all kinds of installations.

- Supporting 4K60Hz, 18Gbps
- Sampling: YUV 4:4:4
- Outer Diameter: 4,5mm, very flexible
- Compatible with HDMI 2.0 standard
- Supports EDID, CEC, HDCP (2.2), HDR (High Dynamic Range), HEC, ARC
- Hybrid optical cable with fiber and copper wire
- Has Source & Display clearly printed on the connector for easy identification
- No loss of signal delivering crystal clear digital images instantly
- Low RFI / EMI profile for sensitive applications
- Has high pulling strength and compression load



Specifications

Features

3D	Yes
Audio Return Channel (ARC)	Yes
Cable length	70 m
Cable material	Fiber optic
Connector 1	HDMI Type A (Standard)
Connector 1 form factor	Straight
Connector 1 gender	Male
Connector 2	HDMI Type A (Standard)
Connector 2 form factor	Straight
Connector 2 gender	Male
Connector contacts plating	Gold
Data transfer rate	18 Gbit/s
Dolby technologies	Dolby TrueHD
HDCP	Yes
HDCP version	2.2
HDMI version	2.0
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
Maximum refresh rate	60 Hz
Maximum resolution	4096 x 2160 Pixels
Plug and Play	Yes
Product colour	Black



Features	Quantity per pack	1 pc(s)
	RoHS compliance	Yes
	Supported graphics resolutions	3840 x 2160
Other features	Quantity	1
Package dimensions (verified)	Depth Verified	35 cm
	Gross Weight Verified	2.612 kg
	Height Verified	8 cm
	Width Verified	33 cm
Product dimensions	Net Weight (Product, kg)	2.512 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)
Weight & dimensions	Cable diameter	4.5 mm



Other products in this series

Cable length	
10.0	HDM191910V2.0OP
15.0	HDM191915V2.0OP
20.0	HDM191920V2.0OP
25.0	HDM191925V2.0OP
30.0	HDM191930V2.00P
40.0	HDM191940V2.0OP
50.0	HDM191950V2.0OP
70.0	HDM191970V2.00P
75.0	HDM191975V2.0OP
100.0	HDM1919100V2.0OP



Other images

