

Overview

Looks great. Performs even better

Enjoy a 23.8-inch diagonal screen experience with this stylish, height-adjustable HP display. Advanced IPS technology provides up to 178° ultra-wide viewing angles with consistent detail and vibrant color. This ultraslim, nearly borderless design with FHD[1] comes at a great value and gives you the connections you need to easily hook up your laptop or desktop.



More screen in less space

Experience more desk space with this ultraslim, height-adjustable micro-edge display.



Easy connectivity

Conveniently connect your devices with HDMI, DisplayPort™, and VGA ports.

Outstanding viewing experience

See your screen with consistent detail, vibrant color, and ultra-wide 178° viewing angles thanks to IPS technology.

[1] Full high-definition (FHD) content required to view FHD images.

Specifications

Display size (diagonal)	23.8"
Panel technology	IPS
Display size (diagonal)	60.45 cm (23.8")
Aspect ratio	16:9 ^[1]
Native resolution	FHD (1920 x 1080)
Resolutions supported	1024 x 768; 1280 x 1024; 1280 x 720; 1280 x 800; 1366 x 768; 1440 x 900; 1600 x 900; 1680 x 1050; 1920 x 1080; 640 x 350; 720 x 400; 800 x 600
Pixel pitch	0.274 mm
Brightness	250 nits ^[1]
Contrast ratio	1000:1 ^[1]
Response time (typical)	5 ms gray to gray ^[1]
Minimum dimensions (W x D x H)	53.82 x 4.59 x 32.56 cm (Without stand.)
Minimum dimensions (W x D x H)	21.19 x 1.8 x 12.82 in (Without stand.)
Dimensions With Stand (W x D x H)	53.82 x 21.16 x 46.43 cm
Weight	4.5 kg (With stand.)
Weight	9.94 lb (With stand.)
Weight Display features	
-	(With stand.) Anti-glare; Language selection; On-screen controls; Plug and Play; User
Display features	(With stand.) Anti-glare; Language selection; On-screen controls; Plug and Play; User controls; Low blue light mode; Dual speakers (2W per channel) 1 DisplayPort™ 1.2 (with HDCP support); 1 HDMI 1.4 (with HDCP support);
Display features Display Input Type	(With stand.) Anti-glare; Language selection; On-screen controls; Plug and Play; User controls; Low blue light mode; Dual speakers (2W per channel) 1 DisplayPort™ 1.2 (with HDCP support); 1 HDMI 1.4 (with HDCP support); 1 VGA Brightness; Color control; Exit; Image control; Information; Input source;
Display features Display Input Type Onscreen controls Display scan frequency	(With stand.) Anti-glare; Language selection; On-screen controls; Plug and Play; User controls; Low blue light mode; Dual speakers (2W per channel) 1 DisplayPort™ 1.2 (with HDCP support); 1 HDMI 1.4 (with HDCP support); 1 VGA Brightness; Color control; Exit; Image control; Information; Input source; Management; Menu; Power
Display features Display Input Type Onscreen controls Display scan frequency (horizontal)	(With stand.) Anti-glare; Language selection; On-screen controls; Plug and Play; User controls; Low blue light mode; Dual speakers (2W per channel) 1 DisplayPort™ 1.2 (with HDCP support); 1 HDMI 1.4 (with HDCP support); 1 VGA Brightness; Color control; Exit; Image control; Information; Input source; Management; Menu; Power 30-86 KHz
Display features Display Input Type Onscreen controls Display scan frequency (horizontal) Display scan frequency (vertical)	(With stand.) Anti-glare; Language selection; On-screen controls; Plug and Play; User controls; Low blue light mode; Dual speakers (2W per channel) 1 DisplayPort™ 1.2 (with HDCP support); 1 HDMI 1.4 (with HDCP support); 1 VGA Brightness; Color control; Exit; Image control; Information; Input source; Management; Menu; Power 30-86 KHz
Display features Display Input Type Onscreen controls Display scan frequency (horizontal) Display scan frequency (vertical) Webcam	(With stand.) Anti-glare; Language selection; On-screen controls; Plug and Play; User controls; Low blue light mode; Dual speakers (2W per channel) 1 DisplayPort™ 1.2 (with HDCP support); 1 HDMI 1.4 (with HDCP support); 1 VGA Brightness; Color control; Exit; Image control; Information; Input source; Management; Menu; Power 30-86 KHz 48-75 Hz No integrated camera
Display features Display Input Type Onscreen controls Display scan frequency (horizontal) Display scan frequency (vertical) Webcam Power	(With stand.) Anti-glare; Language selection; On-screen controls; Plug and Play; User controls; Low blue light mode; Dual speakers (2W per channel) 1 DisplayPort™ 1.2 (with HDCP support); 1 HDMI 1.4 (with HDCP support); 1 VGA Brightness; Color control; Exit; Image control; Information; Input source; Management; Menu; Power 30-86 KHz 48-75 Hz No integrated camera 100 - 240 VAC 50/60 Hz
Display features Display Input Type Onscreen controls Display scan frequency (horizontal) Display scan frequency (vertical) Webcam Power Power consumption	(With stand.) Anti-glare; Language selection; On-screen controls; Plug and Play; User controls; Low blue light mode; Dual speakers (2W per channel) 1 DisplayPort™ 1.2 (with HDCP support); 1 HDMI 1.4 (with HDCP support); 1 VGA Brightness; Color control; Exit; Image control; Information; Input source; Management; Menu; Power 30-86 KHz 48-75 Hz No integrated camera 100 - 240 VAC 50/60 Hz 24 W (maximum), 22 W (typical), 0.5 W (standby)

Certifications	and	compliances

Australian-New Zealand MEPS; BSMI; CB; CCC; CE; CEL; CSA; EAC; Energy Star; FCC; ICES; ISO 9241-307; KC; KCC; NOM; PSB; TUV-S; UL; VCCI; Vietnam MEPS; WEEE; ISC

UPC number

195122270674

Additional specifications

Backlight type	Edge-lit
Bezel	3-sided micro-edge
Curvature	Flat
Detachable stand	Yes
Display area (imperial)	20.74 x 11.66 in
Display area (metric)	52.7 x 29.64 cm
Display contrast ratio (dynamic)	1000000:1
Displayport™	1 DisplayPort™ 1.2
Ethernet	No
Flicker-free	Yes
HDMI	1 HDMI 1.4
Hardness	ЗН
Hdcp	Yes, DisplayPort™ and HDMI
Height adjustment range	100 mm
Horizontal viewing angle	178°
Integrated privacy filter	No
Low blue light modes	Yes
Microphone	No
Non-Operating Humidity Range	5 to 95%
Operating temperature range	41 to 95°F
Package dimensions (W x D x H)	23.54 x 6.5 x 16.34 in
Package dimensions (W \times D \times H)	59.8 x 16.5 x 41.5 cm
Package weight	13.3 lb
Package weight	6.04 kg
Panel bit depth	8 bit (6 bit + FRC)
Photo (product photo, jpg, 190x170)	Accessories/HP-Value-24-inch-Displays_190x170.jpg
Photo (product photo, jpg, 400x400)	Accessories/HP-Value-24-inch-Displays_400x400.jpg
Photo (product photo, jpg, 70x100)	Accessories/HP-Value-24-inch-Displays_70x100.jpg
Pixels per inch (ppi)	93 ppi
Power supply type	Internal
Product brand name	HP

Product dimensions with stand (W \times D \times H)	21.19 x 8.33 x 18.28 in
Resolution (maximum)	FHD (1920 x 1080 @ 60 Hz)
Screen treatment	Anti-glare
Speaker output power	2 x 2 W
Speakers	2
Tilt	-5 to +23°
Touch-enabled	Not touch-enabled
UNSPSC code	43211902
VESA mounting	VESA mount compatible
Vertical viewing angle	178°
Vga	1 VGA
pivot	±90
swivel	±360°

[1] All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.

Disclaimer — Copyright

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Feb 11, 2021 7:55 AM UTC+0000