

MPN: MC-DP-HDMI-1504K

# 4K DisplayPort 1.4 - HDMI 2.0 Cable

## 1.5m

This high performance DisplayPort to HDMI digital HD cable enables you to convert DisplayPort signals to HDMI signals. It could be for transmitting HD video signals from a computer to a monitor with HDMI interface.

- Max. Resolution: 4K Ultra HD 2160p (60 Hz)
- Gold-Plated connectors
- Plug with lock for secure connections
- Signal Direction: DisplayPort to HDMI
- Support DisplayPort 1.2, backwards compatible with 1.1



## Specifications

Features		
3D		Yes
AWG wire size		30
Bandwidth		18000 MB/s
Bandwidth		225 MHz
Cable length		1.5 m
Cable material		Copper
Chipset		SCDH60V
Connector 1		DisplayPort
Connector 1 form factor		Straight
Connector 1 gender		Male
Connector 2		HDMI
Connector 2 form factor		Straight
Connector 2 gender		Male
Connector contacts plating		Gold
Converter type		Passive
Data transfer rate		18 Gbit/s
DisplayPort Content Protection (DPCP)		Yes
DisplayPort version		1.4
HDCP		Yes
HDCP version		1.4/2.2
HDMI version		2.0
High Dynamic Range (HDR) supported		Yes
Jacket material		Polyvinyl chloride (PVC)
Maximum refresh rate		60 Hz
Maximum resolution		4096 x 2160 Pixels

<b>Features</b>	<b>Number of shielding layers</b>	3
	<b>Plug and Play</b>	Yes
	<b>Product colour</b>	Black
	<b>RoHS compliance</b>	Yes
	<b>Supported graphics resolutions</b>	4096 x 2160
	<b>Supported video modes</b>	2160p
<b>Package dimensions</b>	<b>Depth (package,cm)</b>	16.6 cm
	<b>Gross Weight (Package, kg)</b>	0.11 kg
	<b>Height (package,cm)</b>	2.8 cm
	<b>Width (package,cm)</b>	20.5 cm
<b>Packaging data</b>	<b>Quantity per pack</b>	1 pc(s)
<b>Product dimensions</b>	<b>Net Weight (Product, kg)</b>	0.1 kg
<b>Sustainability</b>	<b>Sustainability certificates</b>	RoHS, CE, REACH
<b>Vendor information</b>	<b>Brand Name</b>	MicroConnect
	<b>Warranty</b>	25 Year(s)
<b>Weight &amp; dimensions</b>	<b>Cable diameter</b>	6 mm

## Other images

