

MPN: HDM191930V2.1OP

Premium Optic Fiber HDMI 8K Cable

30m

This active optical HDMI 2.1 cable connects devices across long distances up to 100m without data loss – even in sensitive applications. It contains both fiber optic and copper cores, it is lightweight, flexible and has an ultra-small bend radius which makes it perfectly suitable for all kinds of installations.



- Supporting 8K60Hz, 48Gbps
- Sampling : YUV 4:4:4
- Outer Diameter: 4,5mm, very flexible
- Compatible with HDMI 2.1 standard
- Supports EDID, CEC, HDCP (2.2), HDR (High Dynamic Range), HEC, eARC
- Hybrid optical cable with fibre and copper wire
- Has Source & Display clearly printed on the connector for easy identification
- No loss of signal – delivering crystal clear digital images instantly
- Low RFI / EMI profile for sensitive applications
- Has high pulling strength and compression load

Specifications

Features	3D	Yes
Audio Return Channel (ARC)	Yes	Yes
Cable length	30 m	
Cable material	Copper	
Connector 1	HDMI Type A (Standard)	
Connector 1 form factor	Straight	
Connector 1 gender	Male	
Connector 2	HDMI Type A (Standard)	
Connector 2 form factor	Straight	
Connector 2 gender	Male	
Connector contacts plating	Gold	
Data transfer rate	48 Gbit/s	
Dolby technologies	Dolby TrueHD	
HDCP	Yes	
HDCP version	1.4/2.2	
HDMI version	2.1	
High Dynamic Range (HDR) supported	Yes	
Maximum refresh rate	120 Hz	
Maximum resolution	7680 x 4320 Pixels	
Plug and Play	Yes	
Product colour	Black	
Quantity per pack	1 pc(s)	
RoHS compliance	Yes	

Features	Supported video modes	480p, 720p, 1080i, 1080p, 2160p, 4320p
Other features	Quantity	1
Package dimensions (verified)	Depth Verified	22.9 cm
	Gross Weight Verified	1.168 kg
	Height Verified	7.9 cm
	Width Verified	24.1 cm
Product dimensions	Net Weight (Product, kg)	1.0679999999999998 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)
Weight & dimensions	Cable diameter	4.5 mm

Other products in this series

Cable length	
10.0	HDM191910V2.1OP
15.0	HDM191915V2.1OP
20.0	HDM191920V2.1OP
25.0	HDM191925V2.1OP
30.0	HDM191930V2.1OP
40.0	HDM191940V2.1OP
50.0	HDM191950V2.1OP

Other images

