

MPN: HDM191940V2.0DOP

## Premium Optic Fiber HDMI Type A -HDMI Type D Cable with a HDMI Type A adapter, 40m

This active optical HDMI 2.0 A to HDMI 2.0 Type D cable connects devices across long distances up to 100m without data loss – even in sensitive applications. It contains both fiber optic and copper cores, it is lightweight, flexible and has an ultra-small bend radius which makes it perfectly suitable for all kinds of installations. There is a HDMI Type A adapter included, so it also can be used as HDMI type A to HDMI Type A.



- Supporting 4K60Hz, 18Gbps
- Sampling: YUV 4:4:4
- Outer Diameter: 4,5mm, very flexible
- Compatible with HDMI 2.0 standard
- Supports EDID, CEC, HDCP (2.2), HDR (High Dynamic Range), HEC, ARC
- Hybrid optical cable with fiber and copper wire
- Has Source & Display clearly printed on the connector for easy identification
- No loss of signal delivering crystal clear digital images instantly
- Low RFI / EMI profile for sensitive applications
- Has high pulling strength and compression load

## **Specifications**

## **Features**

3D	Yes	
Audio Return Channel (ARC)	Yes	
Cable length	40 m	
Cable material	Fiber optic	
Connector 1	HDMI Type A (Standard)	
Connector 1 form factor	Straight	
Connector 1 gender	Male	
Connector 2	HDMI Type D (Micro)	
Connector 2 form factor	Straight	
Connector 2 gender	Male	
Connector contacts plating	Gold	
Data transfer rate	18 Gbit/s	
Dolby technologies	Dolby TrueHD	
HDCP	Yes	
HDCP version	2.2	
HDMI version	2.0	
High Dynamic Range (HDR) supported	Yes	
Maximum refresh rate	60 Hz	
Maximum resolution	4096 x 2160 Pixels	
Product colour	Black	



Features	Quantity per pack	1 pc(s)
	RoHS compliance	Yes
	Supported graphics resolutions	3840 x 2160
Other features	Quantity	1
Package dimensions	Gross Weight (Package, kg)	1.74 kg
Product dimensions	Net Weight (Product, kg)	1.68 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)
Weight & dimensions	Cable diameter	4.5 mm



## Other images



