

MPN: USB3.1CHDMI20OP

USB-C HDMI fiber cable 20m

This active optical USB cable are coming with USB Type C interface. It's perfect for transferring full 4K and audio video signals between computer, TV, monitor and projectors over 30m with HDMI output.

- Supporting 4K60Hz, 18Gbps
- Sampling: YUV 4:4:4
- Outer Diameter: 4,5mm, very flexible
- Complies with DP 1.2 specification and is compatible with DP Alternate Mode
- Support EDID, HDCP2.2, HDR Display, HDMI 3D dual view
- No RF interference, working stable in complex environments
- Has Source & Display clearly printed on the connector for easy identification
- Only for video, not for charging.
- Operation System Support :Windows XP/Vista/Win 7/8/8.1/10/Mac OS 10.5 or later



Specifications

Fe	at	ur	es

3D	Yes	
Bandwidth	18000 MB/s	
Cable length	20 m	
Cable material	Fiber optic	
Connector 1	USB C	
Connector 1 form factor	Straight	
Connector 1 gender	Male	
Connector 2	HDMI	
Connector 2 form factor	Straight	
Connector 2 gender	Male	
Connector contacts plating	Gold	
Data transfer rate	18 Gbit/s	
HDCP	Yes	
HDCP version	2.2	
HDMI version	2.0	
High Dynamic Range (HDR) supported	Yes	
Jacket material	Polyvinyl chloride (PVC)	
Maximum resolution	Supports 4K Ultra HD (60Hz), 4096 x 2160p resolution Pixels	
Plug and Play	Yes	
Product colour	Black	
RoHS compliance	Yes	
Supported video modes	720p, 1080i, 1080p	
Operating temperature (T-T)	-20 - 70 °C	
Depth Verified	23.1 cm	
Gross Weight Verified	0.926 kg	

Operational conditions



Package dimensions (verified)	Height Verified	7.6 cm
	Width Verified	23.9 cm
Packaging data	Quantity per pack	1 pc(s)
Product dimensions	Net Weight (Product, kg)	0.826000000000001 kg
Technical details	Sustainability certificates	RoHS
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)
Weight & dimensions	Cable diameter	4 mm



Other products in this series

Cable length	
5.0	USB3.1CHDMI5OP
10.0	USB3.1CHDMI10OP
15.0	USB3.1CHDMI15OP
20.0	USB3.1CHDMI20OP
30.0	USB3.1CHDMI30OP



Other images

