High-quality, fast 24"/A1 printing. Flexible functionality and low cost

iPF6400S

you can

8-colour large format printer designed for the Graphic Arts industries. The iPF6400S produces high-quality, high-speed 24"/A1 prints for low cost. Optional spectrophotometer also available.







IPF6400S WITH OPTIONAL SPECTROPHOTOMETER

- Key features
- High-speed, economical printing
- LUCIA EX 8-colour ink gives you a broad colour gamut, with outstanding black reproduction
- Ideal for the production, photographic, design and exhibition industries
- High-capacity, 300ml ink tanks for greater productivity and reduced downtime
- 250GB HDD for efficient printing of complex jobs
- 'Hot Swap' ink tanks enable uninterrupted printing
- Manage print costs and track ROI with inbuilt accounting tool
- Inbuilt colour sensor ensures consistent and accurate colour reproduction
- Optional spectrophotometer for automated, high-precision colour management
- Added-value software provided as standard
- Optimal colour consistency between multiple 8 colour printers, using the "calibration link feature"





Specifications: imagePROGRAF iPF6400S

PRINTER MODEL	imagePROGRAF iPF6400S	PRINTER MODEL	imagePROGRAF iPF6400S
TECHNOLOGY		DIMENSIONS	
Printer Type	8 Colour - 24"/609.6mm	AND WEIGHT	
Print Technology	Canon Inkjet on Demand 6 colours integrated type (6 chips per print head x 2 print heads)	Physical Dimensions - (W x D x H)	Main unit with Auto Roll Feed Unit (standard): 1,227 (W) x 702 (D) x 344 (H) mm Weight: Approx. 54kg (excluding consumables and Printer Stand)
Number of Nozzles	Total: 30,720 - MBK/BK/M/Y: 2,560 nozzles for each colour, C/PC/PM/GY: 5,120 nozzles for each colour		Main unit and Printer Stand: 1,227 (W) x 751 (D) x 1001 (H) mm
Print Resolution	2,400 x 1,200dpi		Weight: Approx. 70kg (excluding consumables)
Nozzle Pitch	1200dpi x 2		Main unit with Printer Stand and Spectrophotometer: 1,227 (W) x 875 (D) x 1001 (H) mm
Line Accuracy	±0.1% or less		Weight: Approx. 91kg (excluding consumables)
Ink Droplet Size	4 Picoliter	SOFTWARE INCLUDED	Canon Printer Driver, Status Monitor, Free Layout & iR enlargement Copy,
Ink Capacity	Bundled Starter Ink: 90ml - BK/MBK/M/Y 120ml - C/PC/PM/GY Sales Ink: 130ml or 300ml	INCLUDED	Optimised Driver for AutoCAD, Media Configuration Tool, PosterArtist Lite (Windows only), Print Plug-in for Microsoft@ Word/Excel/PowerPoint (Windows only), Print Plug-in for Adobe® Photoshop, Print Plug-in for Digital Photo Professional, Direct Print & Share (Windows only)
Ink Type	Pigment ink: LUCIA EX 8 colour pigment ink: BK, MBK, C, M, Y, PC, PM, GY	POWER AND OPERATING	
OS Compatibility	Windows: XP/ Vista/7/8/Server 2003/2003 R2, Windows Server 2009 (72/6/bit), Macintosh OSX 10 5 8-0510 8 x	REQUIREMENTS	
Printer Languages	Windows Server 2008 (32/64bit), Macintosh OSX 10.5.8-OS10.8.x	Power Supply	AC 100 - 240 V (50 - 60 Hz)
Standard Interfaces	GARO (Graphic Arts language with Raster Operations) USB 2.0 High-Speed Ethernet 10/100/1000 Base-T/TX	Power Consumption	Operation: 100 W or less Power off (standby): 1W or less
Buffer RAM	256MB	Operating Environment	Temperature: 15 - 30°C, 10 - 80% (Condensation free)
Hard Drive	250GB	Noise Level (Approx.)	Operation: 47 dB (A) or less
PRINTING SPEED (A1 Roll, Full Colour Image)			Standby: 35 dB (A) or less Accoustic Power: 6.4 Bels Based on ISO 7779
Printing Speed (Plain Paper)	0.35 min (Fast Economy Mode) 1.56 min (Standard Mode)	Regulations	Europe: CE mark, Germany: TUV, Russia: Gost-R, Other Countries: CB Certification
Printing Speed (Coated Paper)	1.02 min (Fast Economy Mode) 1.56 min (Standard Mode)	Environment Certificates	ENERGY STAR (WW), RoHS directive, IT ECO Declaration (Europe), WEEE, ErP Lot 6 (Europe)
Printing Speed (Glossy Photo Paper)	2.08 min (Fast Economy Mode) 3.08 min (Standard Mode)	OPTIONS	
PAPER HANDLING		Printer Stand	ST-28
Media Width	Roll paper and manual feed from top: 203.2mm (8inch) - 610mm (24inch) Manual feed from front: 250mm - 610mm (24inch)	Roll Holder Set Spectrophotometer	RH2-25
Media Thickness	Roll Unit: 0.07 - 0.8mm Top Loading Manual Feed 0.07 - 0.8mm	CONSUMABLES	SU-21
	Front Loading Manual Feed: 0.5 - 1.5mm	Ink Tanks	130ml: PFI-106 BK/MBK/C/M/Y/PC/PM/GY
Minimum Printable Length	Roll: 203.2mm (8inch) Manual feed from top: 279.4mm (11inch)	Print Head	300ml: PFI-206 BK/MBK/C/M/Y/PC/PM/GY PF-05
Maximum Printable	Manual feed from front: 350mm 18m (varies according to the OS and application)	Maintenance	
Maximum Printable Length	Manual feed from top: 1.6m Manual feed from top: 1.6m Manual feed from front: 914mm	Cartridge	MC-16
Margins (Top, bottom, sides)	Recommended Area: Roll paper: Top: 20mm, Bottom: 5mm, Side: 5mm Manual feed from top: Top: 20mm, Bottom: 23mm, Side: 5mm Manual feed from front: Top: 20mm, Bottom: 23mm, Side: 5mm		
	Printable Area: Roll paper: Top: 3mm, Bottom: 3mm, Side: 3mm Roll paper borderless print: Top: 0mm, Bottom: 0mm, Side: 0mm Manual feed from top: Top: 3mm, Bottom: 3mm (*1), Side: 3mm *1.8ottom margin for att paper: 23mm		
Mavimum Madia D-U	Manual feed from front: Top: 3mm, Bottom: 23mm, Side: 3mm		
Maximum Media Roll Diameter	150.0mm		
Paper Feed Method	Roll Feed: One Roll, top loading, front output Top Loading Manual Feed: One sheet, front output Front Loading Manual Feed: One sheet, front output		
Borderless Printing Width (Roll Only)	10" (254mm), B4 (257mm), 14" (356mm), 16" (407mm), A2 (420mm), A2+/17" (432mm), B2 (515mm), A1 (594mm), 24" (610mm)		

Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. This leaflet and the specifications of the product have been developed prior to the date of product launch. Final specifications are subject to change without notice.™ and ©: All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.

A2+/17" (432mm), B2 (515mm), A1 (594mm), 24" (610mm)


Canon recommends you use Canon Media for the best results. Please check media (paper) compatibility list to see which variety of paper/media is recommended.

Genuine Canon ink cartridges are developed together with Canon large format printers as an important part of the large format printer printing system. Advanced technologies achieved by our research and development activities are incorporated into these ink cartridges. For optimum performance of Canon large format printers, Canon recommends use of genuine Canon ink cartridges.



Width (Roll Only)









Canon Europe Ltd 3 The Square, Stockley Park Uxbridge, Middlesex

English Edition © Canon Europa N.V., 2013

canon.com

Canon Europe

canon-europe.com

Uxbridge, Middles UB11 1ET UK