

MPN: HDM191920V2.0DOP

Premium Optic Fiber HDMI Type A - HDMI Type D Cable with a HDMI Type A adapter, 20m

This active optical HDMI 2.0 A to HDMI 2.0 Type D cable connects devices across long distances up to 100m without data loss – even in sensitive applications. It contains both fiber optic and copper cores, it is lightweight, flexible and has an ultra-small bend radius which makes it perfectly suitable for all kinds of installations. There is a HDMI Type A adapter included, so it also can be used as HDMI type A to HDMI Type A.



- Supporting 4K60Hz, 18Gbps
- Sampling : YUV 4:4:4
- Outer Diameter: 4,5mm, very flexible
- Compatible with HDMI 2.0 standard
- Supports EDID, CEC, HDCP (2.2), HDR (High Dynamic Range), HEC, ARC
- Hybrid optical cable with fiber and copper wire
- Has Source & Display clearly printed on the connector for easy identification
- No loss of signal – delivering crystal clear digital images instantly
- Low RFI / EMI profile for sensitive applications
- Has high pulling strength and compression load

Specifications

Features

3D	Yes
Audio Return Channel (ARC)	Yes
Cable length	20 m
Cable material	Fiber optic
Connector 1	HDMI Type A (Standard)
Connector 1 form factor	Straight
Connector 1 gender	Male
Connector 2	HDMI Type A (Standard)
Connector 2 form factor	Straight
Connector 2 gender	Male
Connector contacts plating	Gold
Data transfer rate	18 Gbit/s
Dolby technologies	Dolby TrueHD
HDCP	Yes
HDCP version	2.2
HDMI version	2.0
High Dynamic Range (HDR) supported	Yes
Maximum refresh rate	60 Hz
Maximum resolution	4096 x 2160 Pixels
Product colour	Black

Features	Quantity per pack	1 pc(s)
	RoHS compliance	Yes
	Supported graphics resolutions	3840 x 2160
Other features	Quantity	1
Package dimensions (verified)	Depth Verified	22.9 cm
	Gross Weight Verified	0.976 kg
	Height Verified	7.7 cm
	Width Verified	24 cm
Product dimensions	Net Weight (Product, kg)	0.95 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)
Weight & dimensions	Cable diameter	4.5 mm

Other products in this series

Cable length	
10.0	HDM191910V2.0DOP
15.0	HDM191915V2.0DOP
20.0	HDM191920V2.0DOP
30.0	HDM191930V2.0DOP
50.0	HDM191950V2.0DOP
70.0	HDM191970V2.0DOP
100.0	HDM1919100V2.0DOP

Other images

